



PRODUCT CATALOG

Fountains · Ornamental Pools · Swimming Pools

Life to water, soul to space

www.cinarfiskiye.com



Contents

About Us	3
From Idea to Show	4
Where We Work	5
01 Nozzles & Jets Comet Jet Nozzles · Foam Nozzles · Cascade Nozzles · Geyser Nozzles · Lily & Water Bell Nozzles · Volcano & Fan Nozzles · Spir...	6
02 Show Systems Musical & Dancing Fountains · Jumping Jet System · Dry-Deck Fountains · Water Curtains & Special Effects	14
03 Waterfalls Cobra & Swan Waterfalls · Artificial Waterfalls & Rock Pools	19
04 Lighting Underwater RGB LED Lights	22
05 Pumps Horizontal Submersible Pumps	24
06 Control & Automation Control Panels · DMX Control & Show Software	26
07 Manifolds & Stainless Fabrication Stainless Manifold Systems · Stainless Steel Products	29
08 Filtration Filtration & Disinfection	32
09 Swimming Pools Reinforced Concrete Pool · Pool Construction Stages · Rooftop & Terrace Pool · Glass-Walled Pool · Fiberglass Pool · Our Pool Pr...	34
Our Services	42

About Us

Çınar Fıskiye provides design, manufacturing, installation and programming under one roof for musical and dancing fountains, ornamental pools, dry-deck fountains, waterfalls and swimming pools.

In our workshop in OSTİM, Ankara, we prepare stainless manifolds, nozzle groups and control panels specifically for each project, shaping every job around the pool size, the character of the water and the identity of the place.

The same team carries your project from drawing to commissioning: survey, 3D simulation, fabrication, mechanical and electrical installation, choreography programming and operator training.

OUR MISSION

To design, manufacture and complete safe, high-quality and cost-effective ornamental pool and fountain systems, keeping to the agreed schedule and maximising customer satisfaction.

OUR VISION

To meet our customers' expectations at the highest level in the engineering and manufacture of fountain systems, with the right balance of quality and price.

Design

3D water simulation
from your DWG

Fabrication

Laser-cut stainless,
welded manifolds

Control

DMX512 and our own
show software

Service

Installation,
commissioning and
training



We do not just build fountains; we design moments people remember.

From Idea to Show

Your project comes to life in six steps



01

Survey & Analysis

We study the site and the architectural drawings and clarify pool dimensions and expectations.



02

Design & Simulation

We lay out the nozzles and animate the water and light show in 3D.



03

Quotation & Planning

Equipment list, budget and schedule are presented transparently.



04

Fabrication

Manifolds, nozzle groups and panels are built and tested in our workshop.



05

Installation


Mechanical and electrical installation is completed on site by our experienced crew.



06






Choreography & Commissioning

The show is programmed to music, the system is started up and operators are trained.



Where We Work

A water feature for every place



PRODUCTS


Nozzles & Jets

The nozzle is what shapes the water. Our range runs from clear, slender jets to full foam columns, from lily and bell film effects to rotating spiral nozzles.

Comet Jet Nozzles	7
Foam Nozzles	8
Cascade Nozzles	9
Geyser Nozzles	10
Lily & Water Bell Nozzles	11
Volcano & Fan Nozzles	12
Spiral & Special Nozzles	13

Comet Jet Nozzles

Clear, slender and tall




Produces a glass-clear, solid water column. It is the basic nozzle of ring and linear manifolds and shows height changes most crisply in musical shows. The ball joint allows angle adjustment even after installation.

KEY FEATURES

- ✓ Adjustable ball joint
- ✓ Anti-vortex internals
- ✓ Brass body, chrome plated
- ✓ Independent of water level

TECHNICAL DATA

Model	Inlet	Outlet Ø	Material
3-6 T	3/8"	6 mm	Chrome-plated brass
5-8 T	1/2"	8 mm	Chrome-plated brass
8-10 T	3/4"	10 mm	Chrome-plated brass
10-12 T	1"	12 mm	Chrome-plated brass
15-17 T	1 1/2"	17 mm	Chrome-plated brass
20-20 T	2"	20 mm	Chrome-plated brass



Nozzle range

Foam Nozzles

Full-bodied water blended with air



Mixes water with air to create a white, full column that is visible from afar. It is little affected by wind and looks strong day and night. Because it carries light so well, it is the natural partner of RGB lighting.

KEY FEATURES

- ✓ Wind-resistant effect
- ✓ Carries light strongly
- ✓ Adjustable angle
- ✓ Brass or stainless-sleeved

TECHNICAL DATA

Model	Inlet	Outlet Ø	Material
25-10 E	3/4"	25 mm	Chrome-plated brass
30-10 E	1"	30 mm	Chrome-plated brass
40-15 E	1 1/2"	40 mm	Chrome-plated brass
35-10 E	—	34 mm	Delrin body, AISI 304 sleeve
55-15 E	—	51 mm	Delrin body, AISI 304 sleeve



Cascade Nozzles

Frothy water in a fir-tree form



Creates a tiered, frothy water sculpture reminiscent of a fir tree. Used alone at the centre of the pool or in groups. On sleeved models the body is Delrin with an AISI 304 stainless outer surface.

KEY FEATURES

- ✓ Tiered foam effect
- ✓ Water-level dependent
- ✓ Adjustable angle
- ✓ 1" – 3" connection options


TECHNICAL DATA

Model	Inlet	Outlet Ø	Material
50 T	1"	50 mm	Brass base, AISI 304 top
70 T	1 1/2"	70 mm	Brass base, AISI 304 top
90 T	2"	90 mm	Brass base, AISI 304 top
110 T	2 1/2"	110 mm	Brass base, AISI 304 top
130 T	3"	130 mm	Brass base, AISI 304 top
50 T-G	1"	50 mm	Delrin body, AISI 304 sleeve
70 T-G	1 1/2"	70 mm	Delrin body, AISI 304 sleeve
90 T-G	2"	90 mm	Delrin body, AISI 304 sleeve



Geyser Nozzles

A powerful column bursting upward



Delivers a tall, frothy column that recalls natural geysers. It stands out as the centre jet of large pools and, together with the surrounding rings, forms the climax of the show.

KEY FEATURES

- ✓ Tall, full column
- ✓ Ideal as a centre jet
- ✓ Adjustable angle
- ✓ 1" – 2 1/2" connection


TECHNICAL DATA

Model	Inlet	Outlet Ø	Material
20 T	1"	20 mm	Brass base, AISI 304 top
40 T	1 1/2"	40 mm	Brass base, AISI 304 top
60 T	2"	60 mm	Brass base, AISI 304 top
80 T	2 1/2"	80 mm	Brass base, AISI 304 top
20 T-G	1"	20 mm	Delrin body, AISI 304 sleeve
40 T-G	1 1/2"	40 mm	Delrin body, AISI 304 sleeve
60 T-G	2"	60 mm	Delrin body, AISI 304 sleeve



Lily & Water Bell Nozzles

Flowers made of a thin water film



The lily nozzle opens the water upward like a flower, while the water bell spreads it as a thin dome-shaped film. Quiet and calm, they are preferred indoors, at hotel entrances and in small ornamental pools.

KEY FEATURES

- ✓ Quiet, low-splash effect
- ✓ Works at low flow
- ✓ 30 – 80 cm height options
- ✓ For wind-sheltered areas

TECHNICAL DATA

LILY

Model	Inlet	Height	Material
30 Z	1"	30 cm	AISI 304 body, chrome-plated brass head
40 Z	1"	40 cm	AISI 304 body, chrome-plated brass head
50 Z	1"	50 cm	AISI 304 body, chrome-plated brass head
60 Z	1"	60 cm	AISI 304 body, chrome-plated brass head
80 Z	1"	80 cm	AISI 304 body, chrome-plated brass head


WATER BELL

Model	Inlet	Height	Material
30 T	1"	30 cm	AISI 304 body, chrome-plated brass head
40 T	1"	40 cm	AISI 304 body, chrome-plated brass head
50 T	1"	50 cm	AISI 304 body, chrome-plated brass head
60 T	1"	60 cm	AISI 304 body, chrome-plated brass head
80 T	1"	80 cm	AISI 304 body, chrome-plated brass head



Volcano & Fan Nozzles

A multi-jet display from a single nozzle



The volcano nozzle forms a bouquet on its own with dozens of fine jets opening in three tiers. The fan nozzle spreads its jets in a single plane for a peacock-tail effect, used in front of walls and along pool edges.

KEY FEATURES

- ✓ Three-tier throw
- ✓ Brass and stainless bodies
- ✓ One pump, rich display
- ✓ Adjustable fan angle

TECHNICAL DATA

VOLCANO

Model	Inlet	Material
Volcano 1"	1"	Chrome-plated brass
Volcano 1 1/2"	1 1/2"	Chrome-plated brass
Volcano 2"	2"	Chrome-plated brass
Volcano economy	1"	Plastic, chrome plated

FAN


Model	Inlet	Material
Film fan	1"	Chrome-plated brass
6-nozzle	1"	AISI 304 body, chrome-plated brass head
9-nozzle	1"	AISI 304 body, chrome-plated brass head
12-nozzle	1 1/2"	AISI 304 body, chrome-plated brass head



Volcano nozzles

Spiral & Special Nozzles

Rotating arms, fine curtains




Thanks to its bearing-mounted body, the spiral nozzle rotates by the reaction of the water itself and draws helical lines in the air. Line, water-wall and rain nozzles are used for water curtains and rain effects.

KEY FEATURES

- ✓ Bearing-mounted, motor-free rotation
- ✓ 4, 6 and 8-arm options
- ✓ Water curtain and rain effects
- ✓ Angle joint for any nozzle

TECHNICAL DATA

Product	Inlet	Description
Spiral, 4 arms	1"	Bearing-mounted, jet arms
Spiral, 6 arms	1"	Bearing-mounted, jet arms
Spiral, 8 arms	1"	Bearing-mounted, jet arms
Hollow jet	1 1/2"	Chrome-plated brass
Line nozzle	M10	Brass
Water wall nozzle	M10	Brass
Rain nozzle	1/4"	Stainless steel
Angle adjustment joint	1" · 1 1/2" · 2"	Delrin



Spiral nozzle



Hollow jet



Water wall nozzle



Rain nozzle



PRODUCTS

Show Systems

Turnkey systems where nozzles, pumps, light and control work together: musical fountains, chasing jet lines, dry-deck plazas and water curtains.

Musical & Dancing Fountains	15
Jumping Jet System	16
Dry-Deck Fountains	17
Water Curtains & Special Effects	18

Musical & Dancing Fountains

Water, light and music in one program



Each manifold is fed by its own pump and inverter, so every water group rises and falls independently to the rhythm of the music. RGB fixtures run from the same program: light fades as the water drops and changes colour as it rises. The choreography is built on a timeline in our own show software.

KEY FEATURES

- ✓ DMX512 / Art-Net control
- ✓ Dedicated inverter per manifold
- ✓ Music-synchronised choreography
- ✓ Timer-based automatic operation
- ✓ Ring, linear and free-form layouts
- ✓ 3D simulation before the project

Jumping Jet System


Glass-like rods of water leaping from point to point



The jumping-jet nozzle passes the water through internal screens to remove turbulence and throws it as a smooth, glass-like arc. The water leaps from one point to another without splashing; a cutter inside the nozzle chops the stream into segments that fly through the air. An LED inside the nozzle carries light along the arc and colours its whole length.

KEY FEATURES

- ✓ Laminar, glass-like water arc
- ✓ Cutter for flying water segments
- ✓ RGB LED inside the nozzle
- ✓ Synchronised to music via DMX
- ✓ Water arches over walkways
- ✓ 12 V safe voltage



Solenoid valve 1"

Dry-Deck Fountains

No pool in sight, only water




Water shoots through stainless plates set flush with the pavement and drains back through them into the balance tank below. When the show is off, the area is an ordinary flat plaza. Nozzle and light sit in the same plate.

KEY FEATURES


- ✓ Flush with the pavement
- ✓ 3 mm laser-cut stainless steel
- ✓ Non-slip, suitable for foot traffic
- ✓ Safe for children's play areas

TECHNICAL DATA

Product	Size	Description
Dry-deck plate	30 × 30 cm	3 mm, laser cut
Dry-deck plate	40 × 40 cm	3 mm, laser cut
Dry-deck plate	50 × 50 cm	3 mm, laser cut
Grating support system	m ²	Sized to the area



Dry-deck plate



Grating support system

Water Curtains & Special Effects

Turning water into screen, script and motion



Beyond standard nozzles, effects engineered per project: fan-shaped water screens for projection, digital water curtains that write text and patterns with falling drops, eave-mounted rain curtains and oscillating manifolds that swing from side to side.

KEY FEATURES

- ✓ String (line) water curtain
- ✓ Bubble wall
- ✓ Projection water screen
- ✓ Digital water curtain (text & patterns)
- ✓ Rain curtain
- ✓ Oscillating "bird wing" jets



PRODUCTS

Waterfalls


Stainless steel Cobra and Swan waterfalls for swimming and ornamental pools.

Cobra & Swan Waterfalls 20

Artificial Waterfalls & Rock Pools 21

Cobra & Swan Waterfalls

Stainless elegance at the pool edge



Cobra waterfall



Cobra waterfall in operation

Water pouring from the wide mouth forms a smooth, glass-like sheet. The Cobra has an arched body, the Swan a slender neck. Both give a massage effect and a visual focal point. AISI 316 grade is recommended for salt and heavily chlorinated water.

KEY FEATURES


- ✓ Mirror or satin finish
- ✓ Ø63 or Ø50 water inlet
- ✓ AISI 304 and AISI 316 options
- ✓ Flanged floor mounting

TECHNICAL DATA

Type	Model	Inlet	Material
Cobra	35 × 35	Ø63 / Ø50	304 · 316
Cobra	40 – 60	Ø63 / Ø50	304 · 316
Cobra	50 – 60	Ø63 / Ø50	304 · 316
Cobra	40 – 80	Ø63 / Ø50	304 · 316
Cobra	60 – 90	Ø63 / Ø50	304 · 316
Swan	50 – 60	Ø63 / Ø50	304 · 316
Swan	40 – 80	Ø63 / Ø50	304 · 316
Swan	60 – 90	Ø63 / Ø50	304 · 316



Waterfall in an indoor pool



Swan waterfall (drawing)

Artificial Waterfalls & Rock Pools

The sound of nature in your garden



Artificial rock waterfalls are hand-shaped in a special mortar over a steel frame to look like natural rock. Water trickles down the tiers into the lower pool and is pumped back up in a closed loop. RGB lights hidden among the rocks colour the waterfall at night.

KEY FEATURES

- ✓ Natural rock appearance
- ✓ Closed-loop water circulation
- ✓ Night effect with RGB lighting
- ✓ Sized and shaped to the site
- ✓ Can be combined with sphere and sculpture fountains
- ✓ Pond and floating fountain options



PRODUCTS

Lighting

Epoxy-filled RGB LED fixtures that live under water.

Underwater RGB LED Lights 23

Underwater RGB LED Lights

Light that paints the water



Flat model



Centre-hole model

Fully epoxy-filled fixtures are made for continuous underwater duty. Narrow 15° lenses concentrate the light into the water column so colour is carried right to the top. On centre-hole models the nozzle passes through the fixture, so light and water leave from exactly the same point.

KEY FEATURES

- ✓ RGB with full DMX colour control
- ✓ Epoxy-filled waterproof body
- ✓ 15° lens
- ✓ 0.75 mm² rubber cable

TECHNICAL DATA

Model	Power	Nozzle passage	Lens
Flat	6 W	—	15°
Flat	9 W	—	15°
Centre-hole	6 W	1"	15°
Centre-hole	9 W	1"	15°
Centre-hole	12 W	1"	15°
Centre-hole	9 W	1 1/2"	15°
Centre-hole	12 W	1 1/2"	15°



Mounting flange



Spot model



PRODUCTS

Pumps

Stainless-bodied submersible fountain pumps that run horizontally in the pool.

Horizontal Submersible Pumps 25

Horizontal Submersible Pumps

The heart of the show




The pumps lie horizontally inside the pool, so no separate plant room is needed. Driven by an inverter, their speed – and therefore the water height – is steplessly adjustable. A stainless strainer basket protects the suction side.

KEY FEATURES

- ✓ Stainless body
- ✓ Inverter speed control
- ✓ 0.75 – 11 kW
- ✓ 304 / 316 suction strainer

TECHNICAL DATA


Model	Power	Flow rate	Head	Model	Power	Flow rate	Head
615/01	0.75 kW	19 m ³ /h	6 m	660/02	3 kW	78 m ³ /h	7 m
626/01	0.75 kW	36 m ³ /h	3 m	675/01	3 kW	96 m ³ /h	4 m
632/01	1.1 kW	40 m ³ /h	4 m	665/02	4 kW	84 m ³ /h	7 m
636/01	1.1 kW	51 m ³ /h	5 m	690/01	4 kW	120 m ³ /h	6 m
626/02	1.5 kW	36 m ³ /h	6 m	660/03	5.5 kW	78 m ³ /h	11 m
642/01	1.5 kW	58 m ³ /h	6 m	675/02	5.5 kW	96 m ³ /h	9 m
632/02	2.2 kW	40 m ³ /h	8 m	690/02	7.5 kW	120 m ³ /h	13 m
636/02	2.2 kW	51 m ³ /h	11 m	10120/01A	7.5 kW	150 m ³ /h	11 m
632/03	3 kW	40 m ³ /h	11 m	10160/01	11 kW	200 m ³ /h	13 m
642/02	3 kW	58 m ³ /h	6 m	Drainage	0.55 · 0.75 kW	—	—



Horizontal submersible pump



Drainage pump



Pump strainer



PRODUCTS

Control & Automation

Control panels, DMX boards, inverters and our own show software.

Control Panels **27**

DMX Control & Show Software **28**

Control Panels

Connect, set, run



Inside the panel




1-motor panel



6-motor panel



Inverter



Power supply

TECHNICAL DATA

Product	Description
Control panel	1 – 10 motors, time switch, RGB board
Inverter	0.75 · 1.5 · 2.2 · 3-4 · 5.5 · 7.5 kW
Power supply	12 V · 29 A
Cable	4×1.5 and 4×2.5 mm ² rubber cable


Panels are built ready-made for 1 to 10 motors according to the number of pumps. The time switch starts and stops the fountain automatically at set hours, and the RGB board runs the light programs. Adding an inverter per pump upgrades the system to a musical fountain.

KEY FEATURES

- ✓ 1 – 10 motor options
- ✓ With time switch
- ✓ With RGB board
- ✓ Outdoor type, protected enclosure

DMX Control & Show Software

Design the choreography on screen




Çınar Show Studio is the software we developed for programming fountain shows. The pool drawing is imported as DXF/DWG, pumps and lights are assigned to channels, the show is built on a timeline over the music and previewed in 3D before going to site. It talks to the field boards over Art-Net / DMX512.

KEY FEATURES

- ✓ DXF / DWG import
- ✓ Live 3D preview
- ✓ Turkish, English, Arabic interface
- ✓ Timeline choreography
- ✓ Art-Net / DMX512 output
- ✓ Export the show as video

TECHNICAL DATA


Product	Description
DMX controller board	Main control board
RGB DMX board	Light driver board
Opto-isolator	Line protection and splitting
Music-sensing board	Beat-responsive operation
Sound system	2 × 500 W speakers, mixer



DMX control board



Show computer



Sound system



PRODUCTS

Manifolds & Stainless Fabrication

Project-specific welded manifolds, spheres, covers and pool ladders.

Stainless Manifold Systems	30
Stainless Steel Products	31

Stainless Manifold Systems

The backbone that carries the nozzles



Ring manifold installation



Free-form manifold

Manifolds are fabricated as rings, straight runs or curves to the project dimensions, with nozzle nipples, light brackets, feet and pump inlet all welded on. On site they are simply set in place and connected to the pump. Each manifold is fed by one pump, so its jets rise and fall together.

KEY FEATURES


- ✓ Ring, straight and curved forms
- ✓ Welded nipples and light brackets
- ✓ Adjustable feet
- ✓ Optional eave-hung brackets

TECHNICAL DATA

Product	Size	Description
Manifold	Ø50 · Ø63 · Ø76	Small and medium pools
Manifold	Ø90 · Ø110	Large rings, high flow
Pump strainer	—	304 · 316
Fittings	Set	Nipples, elbows, couplings, flanges, gaskets
Butterfly valve	1" · 1 1/2"	Female thread



Double ring



Linear run

Stainless Steel Products

For every detail of the pool




Sphere fountain




Stainless sphere




Pool ladder




Plant room cover



Polyester tank cover



Stainless planter



Hanging bracket

TECHNICAL DATA

Product	Size	Material
Stainless sphere	Ø50 · Ø60 · Ø70 · Ø100 cm	AISI 304 stainless steel
Pool ladder (Muro)	3 · 4 steps	AISI 304 stainless steel
Pool ladder (Standard)	3 · 4 steps	AISI 304 stainless steel
Plant room cover	50×50 – 100×100 cm	AISI 304 stainless steel
Polyester tank cover	50×50 – 110×110 cm	Polyester
Stainless planter	104 × 44 cm	AISI 304, 2 mm
Manifold hanging bracket	—	AISI 304, laser cut

In our laser-cutting and welding workshop we produce both standard items and custom sizes for your project.

PRODUCTS

Filtration

Clear water is the first condition of a good show: sand filters, circulation pumps and disinfection.

Filtration & Disinfection **33**

Filtration & Disinfection

Clear water, clear picture



TECHNICAL DATA

Product	Size	Description
Sand filter	Ø400 · Ø500 · Ø620	Polyester body, 6-way valve
Circulation pump	1.5 kW	Pre-filter, self-priming
Surface skimmer	—	ABS, wide mouth, with basket
UV disinfection	Set	Sized to the flow rate
Automatic dosing	Set	pH · ORP
PE100 pipe	Ø63	Supply and filtration lines

In ornamental pools the water is constantly exposed to air, so dust, leaves and algae load is high. The filtration loop draws water from the main drain and skimmers, passes it through the sand filter and returns it through the inlets. UV and automatic dosing keep the water balanced while reducing chemical use.

KEY FEATURES

- ✓ Polyester-body sand filter
- ✓ Self-priming pump with pre-filter
- ✓ 6-way valve
- ✓ Automatic pH and ORP dosing



PRODUCTS

Swimming Pools

Turnkey solutions for concrete, rooftop, glass-walled and fiberglass pools – from design to handover.



Reinforced Concrete Pool	35
Pool Construction Stages	36
Rooftop & Terrace Pool	37
Glass-Walled Pool	38
Fiberglass Pool	39
Our Pool Projects	40
Pool Equipment	41

Reinforced Concrete Pool


Any size, any shape



The longest-lived and most flexible pool type. Size, depth and shape are set entirely by the project. The concrete shell is cast to the structural design, double-layer waterproofing is applied and the surface is finished in pool tile or glass mosaic. Built with a skimmer or an overflow system.

KEY FEATURES

- ✓ Free size and shape
- ✓ Skimmer or overflow system
- ✓ Optional heat-pump heating
- ✓ Automatic dosing and pool robot



Pool Construction Stages

From excavation to the first swim, every step by our own team

Building a pool is a sequence of stages, each depending on the quality of the one before. Pipework is placed before the concrete is poured, waterproofing is

water-tested before tiling, and the plant room is sized to the pool volume. The photographs are from our own sites.



01

Concrete shell


Formwork, reinforcement and concrete to the structural design.



02

Render and waterproofing


Pipe outlets are set and the waterproofing is water-tested.



03

Tiling


Pool tile or glass mosaic with dedicated adhesive and grout.



04

Plant room

Filter, pump and pipework installation.




05

Handover

The pool is filled, the system tuned and handed over for use.

Rooftop & Terrace Pool

Above the city, beneath the sky



On roofs and terraces the pool is designed together with the building structure. The first step is structural verification of the filled-pool load. The tank is built in

lightweight concrete, stainless steel or fiberglass. A second waterproofing layer and drainage on the slab protect the floor below.

KEY FEATURES


- ✓ Structural load verification
- ✓ Lightweight tank options
- ✓ Two-stage waterproofing and drainage
- ✓ Compact plant room

SECTION LEGEND

- 1 Structural slab (verified)
- 2 Pool tank
- 3 Secondary waterproofing and drainage
- 4 Raised deck
- 5 Compact plant room
- 6 Glass balustrade

Glass-Walled Pool

See into the water from outside



KEY FEATURES

- ✓ Laminated tempered glass or acrylic
- ✓ Structurally calculated thickness
- ✓ Infinity-edge option
- ✓ Night effect with underwater lighting

SECTION LEGEND


- 1 Glass / acrylic panel
- 2 Stainless U-channel anchorage
- 3 Sealing joint
- 4 Reinforced concrete shell
- 5 Underwater LED light

One or more pool walls are closed with a transparent panel, turning the water into the most striking architectural element of the space. Panel thickness is

determined by structural calculation from water depth and span. The panel sits in a stainless U-channel and is sealed with a dedicated sealant.

Fiberglass Pool

Factory-made, quickly in your garden



The glass-fibre reinforced polyester (GRP) shell is made in one piece at the factory and arrives ready on site. After excavation, base slab and placement, the surround is backfilled and the equipment connected.

Steps and seating are moulded into the shell. The smooth gelcoat surface resists algae and is easy to clean.

KEY FEATURES

- ✓ One-piece, seamless shell
- ✓ Short installation time
- ✓ Moulded steps and seating
- ✓ No tiling required

SECTION LEGEND


- 1 One-piece GRP shell
- 2 Gelcoat surface
- 3 Integrated steps
- 4 Concrete base slab
- 5 Stabilised backfill
- 6 Skimmer and underwater light

Our Pool Projects

A selection of work completed by our team




Outdoor pool in a villa garden




Free-form outdoor pool




Indoor pool with LED lighting



Indoor swimming pool




Water park pool



Pool with underwater lighting

Pool Equipment

Everything a pool needs



We supply all the equipment for your swimming pool from a single source: filtration, circulation pumps, in-pool fittings, underwater lighting, automatic dosing, cleaning robots, heating and dehumidification, and pool tiles. Products are selected by pool volume and bathing load.

KEY FEATURES

- ✓ Filtration and pump sets
- ✓ Pool tiles and mosaic
- ✓ Cleaning robots
- ✓ Automatic dosing systems
- ✓ Heat pumps and dehumidifiers
- ✓ Pool chemicals




Filtration



Ladders and handrails



Waterfalls and water features



Disinfection

Our Services

Beyond products, we hand over a working system



Engineering

Nozzle layout, hydraulic calculation and 3D simulation from the architectural drawings.



Mechanical Installation

On-site installation of manifolds, pumps, nozzles and pipework.



Electrical Installation

Panel, cabling, lighting and control-line connections.



Choreography Programming

Water and light shows tailored to the music you choose.



Commissioning & Training

System tuning and training for your operating staff.




Maintenance & Spare Parts

Periodic maintenance, breakdown support and spare parts supply.



2-year warranty on equipment, 1 year on workmanship (consumables excluded).





Contact

ADDRESS OSTİM OSB Mah. 1151. Sok. No: 57, Yenimahalle /
ANKARA – TÜRKİYE

PHONE +90 530 093 46 00
+90 312 268 84 84

E-MAIL info@cinarfiskiye.com

WEB www.cinarfiskiye.com

Images are representative. Technical values are indicative and confirmed per project.

